


Main parts list




No,	Code	Description	Qty
1	WSG37.10	Motor Protection plate	1
2	GB/T 5783	Bolt M8*25	4
3	GB/T 93	Spring Washer 8	33
4	GB/T 97.1	Plain washer 8	38
5	GB/T 70.1	Bolt M10*60	4
6	GB/T 70.1	Bolt M8*30	8
7	GB/T 93	Spring Washer 10	4
8	A2F28W2Z2	Hydraulic Motor	1
9	ESG37.15	Plate	1
10	GB/T 70.3	Bolt M6*16	8
11	ESG37.11	Plate 02	1
12	GB/T 13871.1	Oil seal 40*70*8	1
13	GB/T 276	Bearing 6208-RS	2
14	GB/T 70.1	Bolt M12*55	4
15	GB/T 93	Spring Washer 12	8
16	ESG37.9	Bearing seat 02	1
17	ESG37.8	Plate for bearing	4
18	GB/T 6182	Locking Nut M16	4
19	ESG37.3	Main shaft	1
20	GB/T 97.1	Plain washer 16	4

21	GB/T 5783	Bolt M16*55	4
22	ESG37.4	Fly wheel	1
23	WSG37.18	Rubber Protection	1
24	GB/T 5783	Bolt M8*30	17
25	WSG37.19	Plate o1	2
26	GB/T 6170	Nut M8	17
27	WSG37.20	Plate 02	1
28	WSG37.21	Plate 03	1
29	WSG37.2	Machine deck	1
30	GB/T 5783	Bolt M6*20	8
31	GB/T 93	Spring washer 6	8
32	GB/T 97.1	Plain washer 6	8
33	ESG37.6	Bearing seat 01	1
34	ESG37.7	Plate 01	1
35	ESG37.16	Plate	1
36	ESG37.5	Plate	1
37	GB/T 97.1	Plain washer 12	4
38	GB/T 70.1	Bolt M12*60	4
39	JB/T 7940.1-1995	Grease nipple M8*1	4
40	WSG37.14	Hydraulic system	1

41	JB/T 7940.1	Grease nipple M6*1	2
42	GB/T 6182	Locking Nu M24	1
43	GB/T 97.1	Plain washer 24	2
44	SF-2X	Bearing 3030	2
45	JB/T 7940.2	Grease nipple M8*1	1
46	WSG37.23	Pin 01	1
47	DIN 11023	Locking Pin	1
48	EFGC175.37	Pin	1
49	WSG37.13	Stand feet	1
50	EFGC125.110	R pin	1
51	GB/T 5783	Bolt M8*45	2
52	WSG37.24	Pin 02	2
53	GB/T 6182	Locking Nu tM8	2
54	WSG37.17T	Bracket	1
55	WSG37.01	Valve	1
56	WSG37.22	Electrical components	1
57	GB/T 823	Bolt M4*70	4
58	WSG37.12	Valve Mounting plate	1
59	GB/T 6170	NutM4	8
60	GB/T 97.1	Plain washer 4	4


61	GB/T 5783	Bolt M8*16	4
----	-----------	------------	---

Hydraulic system



No.	Code	Description	Qty
1	WSG37.14-1	Oil pipe 01	1
2	WSG37.14-2	Oil pipe 02	1
3	WSG37.14-3	Oil pipe 03	1
4	WSG37.14-4	Oil pipe 04	1
5	WSG37.14-5	Oil pipe 05	1
6	WSG37.14-6	Oil pipe 06	1
7	WSG37.14-7	Oil pipe 07	1
8	WSG37.14-8	Oil pipe 08	1
9	WSG37.14-9	Oil pipe 09	1
10	WSG37.14-10	Swing cylinder	2
11	G10LM16x1.5EDOMD	Connector	5
12	ISO6162-1/-2	Flange	4
13	EL10LOMD	Connector	2
14	GE15LREDOMD	Connector	6
15	GB/T 5862	Quick couple	2
16	GB/T 5862	Quick couple	1
17	GE10LR3/8ED	Connector	1
18	GE10SREDOMD	Connector	2

Electrical system





No,	Code	Description	Qty
1	WSG37.10	Motor Protection plate	1
2	GB/T 5783	Bolt M8*25	4
3	GB/T 93	Spring Washer 8	33
4	GB/T 97.1	Plain washer 8	38
5	GB/T 70.1	Bolt M10*60	4
6	GB/T 70.1	Bolt M8*30	8
7	GB/T 93	Spring Washer 10	4
8	A2F28W2Z2	Hydraulic Motor	1
9	ESG37.15	Plate	1
10	GB/T 70.3	Bolt M6*16	8
11	ESG37.11	Plate 02	1
12	GB/T 13871.1	Oil seal 40*70*8	1
13	GB/T 276	Bearing 6208-RS	2
14	GB/T 70.1	Bolt M12*55	4
15	GB/T 93	Spring Washer 12	8
16	ESG37.9	Bearing seat 02	1
17	ESG37.8	Plate for bearing	4
18	GB/T 6182	Locking Nut M16	4
19	ESG37.3	Main shaft	1
20	GB/T 97.1	Plain washer 16	4

21	GB/T 5783	Bolt M16*55	4
22	ESG37.4	Fly wheel	1
23	WSG37.18	Rubber Protection	1
24	GB/T 5783	Bolt M8*30	17
25	WSG37.19	Plate o1	2
26	GB/T 6170	Nut M8	17
27	WSG37.20	Plate 02	1
28	WSG37.21	Plate 03	1
29	WSG37.2	Machine deck	1
30	GB/T 5783	Bolt M6*20	8
31	GB/T 93	Spring washer 6	8
32	GB/T 97.1	Plain washer 6	8
33	ESG37.6	Bearing seat 01	1
34	ESG37.7	Plate 01	1
35	ESG37.16	Plate	1
36	ESG37.5	Plate	1
37	GB/T 97.1	Plain washer 12	4
38	GB/T 70.1	Bolt M12*60	4
39	JB/T 7940.1-1995	Grease nipple M8*1	4
40	WSG37.14	Hydraulic system	1


41	JB/T 7940.1	Grease nipple M6*1	2
42	GB/T 6182	Locking Nu M24	1
43	GB/T 97.1	Plain washer 24	2
44	SF-2X	Bearing 3030	2
45	JB/T 7940.2	Grease nipple M8*1	1
46	WSG37.23	Pin 01	1
47	DIN 11023	Locking Pin	1
48	EFGC175.37	Pin	1
49	WSG37.13	Stand feet	1
50	EFGC125.110	R pin	1
51	GB/T 5783	Bolt M8*45	2
52	WSG37.24	Pin 02	2
53	GB/T 6182	Locking Nu tM8	2
54	WSG37.17T	Bracket	1
55	WSG37.01	Valve	1
56	WSG37.22	Electrical components	1
57	GB/T 823	Bolt M4*70	4
58	WSG37.12	Valve Mounting plate	1
59	GB/T 6170	NutM4	8
60	GB/T 97.1	Plain washer 4	4

61	GB/T 5783	Bolt M8*16	4
----	-----------	------------	---




采购要求：1. 按钮开关标识须为左右标识，左右按钮均带一对常开和一对常闭触点
2. 按钮按扭

Electrical wiring diagram



No.	Code	Description	Qty
1	WSG37.22-1	Cable01	1
2	WSG37.22-2	Cable02	1
3	WSG37.22-3	Cable03	1
4	WSG37.22-4	Cable04	1
5	LEE-2132	Waterproff Connector	1
6	LEE-0132	Waterproff Plug	1
7	WSG37.22-5	Flexible pipe	2
8	XAC-A2813	Button	1
9	WSG37.22.6	Junction box	1

Rotor



No.	Code	Description	Qty
1	ESG37.4-7	Rotor	1
2	ESG47.4-2	Teeth seat 900-2	6
3	ESG47.4-8	Teeth	16
4	ESG47.4-3	Teeth seat 900-3	6
5	ASME B18.16.6	Nut 7/16"-14	16
6	ASME B18.3	Bolt 5/8"-18*2*2	16
7	ESG47.4-4	Teeth seat 900-4	1
8	ESG47.4-5	Teeth seat 900-5	1
9	ESG47.4-6	Teeth seat 900-6	1
10	ESG47.4-1	Teeth seat 900-1	1